

Windows Apache

Windows Apache, Git For Windows, *WebDAV*, Git Server, Linux Apache, Windows, Git

Windows Commander, bare Git Repository, htdocs

```
mkdir test_git.git
cd test_git.git
```

git, Windows, Git Bash, test_git.git, (..\htdocs\test_git.git)

```
git --bare init
git update-server-info
```

Command, WebDav, Git Bash, 2가

WebDAV

Windows IIS, WebDav, (, Apache, 가

- Windows 7 Webdav <http://ycho.tistory.com/15>

-> Windows / -> IIS (Internet Information Service)

Apache WebDav Enable

```
a2enmod dav_fs
a2enmod.exe 가 Redmine Apache ??
```

httpd.conf, WebDav, Git Server

, Apache

/conf/ httpd.conf

Dynamic Shared Object (DSO) Support

Module 3 가 Load

```
LoadModule dav_module modules/mod_dav.so
```

```
LoadModule dav_fs_module modules/mod_dav_fs.so
LoadModule dav_lock_module modules/mod_dav_lock.so
```

httpd.conf

DocumentRoot "C:/Bitnami/redmine-2.4.2-0/apache2/htdocs"

Root
Git Repository

Password File . Bin htpasswd 가

\$ htpasswd -c passwd.git <user >

passwd.git Password passwd.git
passwd.git /conf

가 passwd.git -c 가

, httpd.conf

```
# WebDAV for Git Server
# First Locking DAV Operation using DavLockDB
# Second Including the following Directory
#
```

DavLockDB "c:\Bitnami\redmine-2.4.2-0\apache2\var\DavLock"

```
<Location /test_git.git>
  DAV on
  AuthType Basic
  AuthName Git
  AuthUserFile conf/passwd.git
  Require valid-user
</Location>
```

DavLockDB
User valid-user

Apache Enable

http://jnwhome.iptime.org/test_git.git (ID PW)

User

가 ...

Test_git.git Linux chmod chown -R www.www
Windows Windows test_git.git -> 가

Authenticated Users Git 가 WebDav 가 Git
Remote

Client ??

Git Bash가 . (Windows 가)

```
mkdir ~/Desktop/test-project
cd ~/Desktop/test-project
```

```
git init
git remote add origin http://<user>@<server name or IP address>/test-project.git
touch README
git add .
git commit -a -m "Initial import"
git push origin master
```

TortoiseGit
, Git Repository here git Repository
Bare

TortoiseGit -> Setting -> Git ()
Git->Remote . ()

<URL >
http://jnwhome.iptime.org/test_git.git

origin . .

<Push URL >
http://MyID:MyPW@jnwhome.iptime.org/test_git.git

ID	PW	http://
	PUSH	Remote Push가

- <https://git-scm.com/book/ko/v1/Git-%EC%84%9C%EB%B2%84-%ED%94%84%EB%A1%9C%ED%86%A0%EC%BD%9C>
- <http://www.rasplay.org/?p=1325>
- <http://blog.bobbyallen.me/2012/07/23/installing-a-git-server-using-apache-webdav-on-ubuntu-server-12-04/>